No.

na propieta de la compania de la co



9600320

AHHE ONIVERD SHAYIES OF AMIERIO

TO ALL TO WHOM THESE: PRESENTS: SHALL COME;

The Curators of the University of Missouri

There has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS rom selling the variety, or offering it for sale, or reproducing it, or importing it, or exporting it, CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN LICING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY CTION ACT. IN THE UNITED STATES SEED OF THIS VARIETY (I) SHALL BE SOLD BY VARIETY NAME ONLY AS A ERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS SPECIFIED BY THE OWNER OF (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'Mustang'

In Jestimonn Macrest, I have hereunto set my hand and caused the seal of the Plant Hariety Protection Office to be affixed at the City of Washington, D.C. this thirty-first day of Warch, in the year of our Lord two thousand.

U.S. DEPARTMENT AGRICULTURAL MA SCIENCE	Application is required in order to determine if a plant variety protection		
APPLICATION FOR PLANT VAR	certificate is to be issued (7 U.S.C. 2421). Information is held confidential		
NAME OF APPLICANT(S) (as it is to appear on the Certificate	until certificate is issued (7 U.S.C. 2426). 3. VARIETY NAME		
The Curators of the University of		2. TEMPORARY DESIGNATION OR EXPERIMENTAL NO.	
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)		LS87-1615 5. PHONE (include area code)	Mustang FOR OFFICIAL USE ONLY
University of Missouri		573-882-3211	PVPO NUMBER
311 Jesse Hall			9600320
Columbia, MO 65211			F Dale 23, 1996
			Time
6. GENUS AND SPECIES NAME	N A.M. P.M.		
Glycine max (L.) Merr.	F Filing and Examination Fee:		
8. CROP KIND NAME (Common Name)		9. DATE OF DETERMINATION 1987	E \$2450.50
Soybean			S Date
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FOR	M OF ORGANIZATION	I (Corporation, partnership,	E July 23, 1996
association, etc.) Educational organizat			E Certificate Fee:
11. IF INCORPORATED, GIVE STATE OF INCORPORATION		12. DATE OF INCORPORATION	¥ 300
Missouri			D Date
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S).	IF ANY TO SERVE IN	A THIS APPLICATION AND DECERVE AS	010000
D. A. Sleper	" AN, 10 OLIVE "	THIS APPLICATION AND RECEIVE ALI	PAPERS
Department of Agronomy			
201 Waters Hall			
University of Missouri Columbia, MO 65211		5.7	3-882-7320
14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBA	AUTED (Follow INSTR		3-002-7320
 a. Exhibit A, Origin and Breeding History of the Variet b. Exhibit B, Novelty Statement c. Exhibit C, Objective Description of Variety d. Exhibit D, Additional Description of Variety e. Exhibit E, Statement of the Basis of Applicant's Ow f. Seed Sample (2,500 viable untreated seeds). Date g. Exhibit E, Statement of Fee (\$2,325) made payable 	nership Seed Samole mailed I	lu Plani. Vanely Professon Ottice	e 28, 1996
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VAN	RIETY BE SOLD BY VA	ARIETY NAME ONLY AS A CLASS OF CO	ERTIFIED SEED? (See section 83(a) of the
YES (If "YES," answer it	lems 16 and 17 below	v) NO (If "NO," skip to item 18	below)
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?	i 17. IF "Y	ES" TO ITEM 16, WHICH CLASSES OF	PRODUCTION BEYOND BREEDER SEED?
YES NO	i	FOUNDATION REGISTI	ERED D CERTIFIED
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION YES (If "YES," through Plant Variety Protection		I THE U.S.? nt Act. Give date:)
₩ NO	_		
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR YES (If "YES," GIVE NAMES OF COUNTRIES AND DAT	SALE, OR MARKETED (ES)	O IN THE U.S. OR OTHER COUNTRIES?	•
20. The applicant(s) declare(s) that a viable sample of basic seeds	of this various will be	furnished with the englishing and with h	
such regulations as may be applicable.	or this valicty will be	rumsneo with the application and will be	replenished upon request in accordance with
The undersigned applicant(s) is (are) the owner(s) of this sexual in section 41, and is entitled to protection under the provisions	lly reproduced novel pl of section 42 of the F	lant variety, and believe(s) that the variet	y is distinct, uniform, and stable as required
Applicant(s) is (are) informed that false representation herein c	an jeopardize protection	on and result in penalties.	
SIGNATURE OF APPLICANT (Owner(s))		CAPACITY OR TITLE	DATE
P - 10 - 1'		Director	6/28/96
Fores L. Milana	1	Ag. Exp. Sta	
SIGNATURE OF APPLICANT [Owner(s)]	DATE		
1 Director			7-1-96
beereiled & Jann	0 1-1-70		
D/470 (96.93) Editions of Forms LS-470 (3/86) and CSSD-APPROVED	170 (5/89) are to be	Business Seruice destroyed.	CONTINUED ON REVERSE
AC TO VILLA			
LEGAL FORM FATT			and the second s

Exhibit A

Origin and Breeding History of the Variety

Mustang originated as an individual F₅ plant selection from the cross Fayette x Pyramid. The F₂ and subsequent generations were advanced via the modified single-seed descent procedure. The F₅ plant was selected on a soybean cyst nematode (*Heterodera glycines* Inchinohe) race 3 infested field. Soybean cyst nematode resistance was determined in subsequent generations by greenhouse evaluation utilizing soybean cyst nematode race 3 infested soil collected from a field near Elkville, IL and soybean race 14 infested soil collected from a field near Sandridge, IL. Resistance was confirmed at the University of Missouri by greenhouse evaluations against soybean cyst nematode races 1, 3, and 14. Race 1 culture was maintained on PI88.788 and the soybean variety Essex and race 3 and 14 cultures were maintained on Essex.

Mustang appears stable and uniform from the F₅ generation through our seed increase program. The only variant observed is on average 1 purple flowered plant out of 10,000.

Exhibit B Novelty Statement

Mustang most closely resembles Delsoy 4210 in maturity, plant type, pod color (tan), flower color (white), hypocotyl color (green), plant height, and plant habit (indeterminate). Mustang has gray pubescence, high seed protein peroxidase activity, and resistance to races 1, 3, and 14 of the soybean cyst nematode while Delsoy 4210 has tawny pubescence, low seed protein peroxidase activity, and is resistant to only races 3 and 14 of the soybean cyst nematode.

10 E 2

FORM LMGS-470-57 (6-83)

(Edition of 2-82 is obsolete.)

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAND TORTH-BIVIOLOGY
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

(Soybean)

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S) TEMPORARY DESIGNATION VARIETY NAME The Curators of the University of Missouri LS87-1615 Mustang ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code) FOR OFFICIAL USE ONLY University of Missouri PVPO NUMBER 321 University Hall 9600320 Columbia, MO65211 Choose the appropriate response which characterizes the variety in the features described below. When the number of significant digits in your answer is fewer than the number of boxes provided, place a zero in the first box when number is 9 or less (e.g., 0 9). Starred characters * are considered fundamental to an adequate soybean variety description. Other characters should be described when information is available. 1. SEED SHAPE: 2 1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2) 4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2) * 2. SEED COAT COLOR: (Mature Seed) 1 = Yellow 2 = Green 3 = Brown 4 = Black 5 = Other (Specify) _ 3. SEED COAT LUSTER: (Mature Hand Shelled Seed) 1 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy'; 'Gasoy 17') * 4. SEED SIZE: (Mature Seed) Grams per 100 seeds ★ 5. HILUM COLOR: (Mature Seed) 1 = Buff 2 = Yellow 3 = Brown 4 = Grav 7 = Other (Specify) 5 = Imperfect Black 6 = Black ★ 6. COTYLEDON COLOR: (Mature Seed) = Yellow 2 = Green ★ 7. SEED PROTEIN PEROXIDASE ACTIVITY: 2 = High * 8. SEED PROTEIN ELECTROPHORETIC BAND: 1 = Type A (SP1a) 2 = Type B (SP1b) # 9. HYPOCOTYL COLOR: 1 = Green only ('Evans'; 'Davis') 2 = Green with bronze band below cotyledons ('Woodworth'; 'Tracy') 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A') ★10. LEAFLET SHAPE: - Lanceolate 2 = Oval 3 = Ovate4 = Other (Specify)

1	1. LEA	AFLET SIZE:			i	
	2	1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 = Med	ium ('Corsoy 79'; 'Gasoy 17')		
1	2. LEA	F COLOR:				
	2	1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy')	2 = Medi	ium Green ('Corsoy 79'; 'Braxto	on')	
* 1:	3. FLO	WER COLOR:		· · · · · · · · · · · · · · · · · · ·		
	1	1 = White 2 = Purple	3 = White w	ith purple throat		
★ 14	. POD	COLOR:				
	1	1 = Tan 2 = Brown	3 = Black			
★ 15	. PĻAN	NT PUBESCENCE COLOR:				
	1	1 = Gray 2 = Brown (Tawny	1			
16	PLAN	IT TYPES:				
	2	1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Interr	nediate ('Amcor'; 'Braxton')		
★ 17.	PLAN	T HABIT:			·	
. 	3	1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved	2 = Semi-l Pelican')	Determinate ('Will')		
T 18.	MATU	RITY GROUP:		•		
(7	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = V	4 = I VIII 12 = IX	5 = II 6 = III	7 = IV	8 = V
c 19.	DISEA	SE REACTION: (Enter 0 = Not Tested; 1	= Susceptible; 2 = Re	sistant)		
*	BAC	TERIAL DISEASES:	•			
<i>^</i>		Bacterial Pustule (Xanthomonas phaseoli	var. sojensis)			
*		Bacterial Blight (Pseudomonas glycinea)		• • • • • •		
*		Wildfire (Pseudomonas tabaci)		·• · · · · · · · · · · · · · · · · · ·		
*	FUNG	AL DISEASES:				
		Brown Spot (Septoria glycines)				
*	0	Frogeye Leaf Spot (Cercospora sojina) Race 1 Race 2	Race 3	EZ: Ed E7 IN 96 Race 4	·	er <i>(Specify)</i>
	0	Target Spot (Corynespora cassiicola)		·		
	0	Downy Mildew (Peronospora trifoliorum	var. manshurica)	NECEIVED) ·	
	0	Powdery Mildew (Microsphaera diffusa)		e compage		
*	0	Brown Stem Rot (Cephalosporium gregate	um)			
	0	Stem Canker (Diaporthe phaseolorum var.	. caulivora)			

19. DISEASE REACTIO	N: (Enter 0 = Not Tested; 1 = Susceptible; 2 =	Resistant) (Continued)						
FUNGAL DISEAS		, , , , , , , , , , , , , , , , , , ,						
★ 0 Pod and Ste	em Blight <i>(Diaporthe phaseolorum</i> var; <i>sojae)</i>							
	Stain (Cercospora kikuchii)							
	a Root Rot <i>(Rhizoctonia solani)</i>							
است.	ora Rot (Phytophthora megasperma var. sojae)		en e					
★ 0 Race 1				•				
	Race 2 Race 3	Race 4 Race !	5 Race 6 F	Race 7				
0 Race 8	Race 9 Other (Specify)							
VIRAL DISEASES		e volume		•				
	Tobacco Ringspot Virus)							
Yellow Mos	aic (Bean Yellow Mosaic Virus)							
Cowpea Mos	aic (Cowpea Chlorotic Virus)							
O Pod Mottle	Bean Pod Mottle Virus)							
★ 0 Seed Mottle	(Soybean Mosaic Virus)	·						
NEMATODE DISE	ASES:			· · · · · · · · · · · · · · · · · · ·				
Soybean Cys	t Nematode (Heterodera glycines)							
★ 2 Race 1	0 Race 2 2 Race 3 0	Race 4 2 Other	(Specify) Race 14					
0 Lance Nematode (Hoplolaimus Colombus)								
Southern Root Knot Nematode (Meloidogyne incognital								
Northern Root Knot Nematode (Meloidogyne Hapla)								
Posses Page Kara Namen de Maria								
Reniform Nematode (Rotylenchulus reniformis)								
0 OTHER DISEASE NOT ON FORM (Specify):								
O THE TOTAL ACT ON FORM (Specify):								
20. PHYSIOLOGICAL RE	SPONSES: (Enter 0 = Not Tested; 1 = Suscep	tible; 2 = Resistant)						
★ 0 Iron Chlorosis on Calcareous Soil								
O Other (Specify)								
21. INSECT REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)								
Mexican Bean Beetle (Epilachna varivestis)								
Potato Leaf Hopper (Empoasca fabae)								
O Other (Specify)								
22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.								
CHARACTER NAME OF MADISTRA								
Plant Shape	Delsoy 4500	CHARACTER Seed Coat Luster	NAME OF VARIET Corsoy	Y				
Leaf Shape	Williams	Seed Coat Luster	Flyer	• • •				
Leaf Color	PI 88788	Seed Shape	Fayette					
Leaf Size	Fayette	Seedling Pigmentation	Delsoy 4210					
			•	***************************************				

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
				CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Submitted	129	1.3	97	8.5	11.9	40.6	20.7	15.0	not recorded
Name of Similar Variety,	Spencer 128	Spencer	Delsoy 4210 97	Fayette 8.8	Fayette 10.3	l Spencer	Spen- cer 21.7	Flyer 14.2	not recorded

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

EZ: Ed EZ 7Ar 96.

N2DV-VM2-bAb0 BECEINED

Exhibit D Additional Description of the Variety

Mustang was evaluated as LS87-1615 in the Regional Soybean Cyst Nematode Tests and the Uniform Soybean Tests-Northern Region in 1990 and 1991, respectively. Seed yield of Mustang on soybean cyst nematode (SCN) infested soils was 56% higher than Spencer and 9% higher than Delsoy 4210. Seed yield of Mustang was 2% lower than Spencer and 14% higher than Delsoy 4210 on noninfested soils. As evaluated in the North Missouri Soybean Breeding trials from 1990 through 1994, seed yield of Mustang was 9% higher than Delsoy 4210 on SCN infested soils and 10% higher on noninfested soils. Mustang matures 1 day later than Spencer and 2 days earlier than Delsoy 4210.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE	The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.				
EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP	Application is required in order to d certificate is to be issued (7 U.S.C. 2 until certificate is issued (7 U.S.C. 242	etermine if a plant variety protection 421). Information is held confidentia 6).			
1. NAME OF APPLICANT(S)	TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME			
The Curators of the University of Missouri	1	Mustang			
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5. TELEPHONE (include area code)	6. FAX (include area code)			
University of Missouri	573-882-3211	573-884-5446			
311 Jess Hall Columbia, MO 65211	7. PVPO NUMBER 9600320				
8. Does the applicant own all rights to the variety? Mark an "X" in approp	l riate block. If no, please explain.	XX YES NO			
		e e e e e e e e e e e e e e e e e e e			
Is the applicant (individual or company) a U.S. national or U.S. based of If no, give name of country	ompany?	XX YES NO			
	NO If no, please answer one of the	following:			
b. If original rights to variety were owned by a company(ies), is(are) the YES 11. Additional explanation on ownership (if needed, use reverse for extra some second of the second of	pace): primarily provided by ting Council and the Miss	the University of Souri Seed Improvement			
N. F. CC NOTE:					
PLEASE NOTE: Plant variety protection can be afforded only to owners (not licensees) who meet of	one of the following criteria:				
If the rights to the variety are owned by the original breeder, that person must be which affords similar protection to nationals of the U.S. for the same genus and	oe a U.S. national, national of a UPOV men	iber country, or national of a country			
If the rights to the variety are owned by the company which employed the orig member country, or owned by nationals of a country which affords similar pro-	inal breeder(s), the company must be U.S. be tection to nationals of the U.S. for the same	pased, owned by nationals of a UPOV genus and species.			
3. If the applicant is an owner who is not the original owner, both the original ow	· · · · · · · · · · · · · · · · · · ·	•			
The original breeder/owner may be the individual or company who directed final	breeding. See Section 41(a)(2) of the Plant	Variety Protection Act for definition.			
According to the Paperwork Reduction Act of 1995, no persons are required to respond to a coll this information collection is 0581-0055. The time required to compete this information collection generating existing data sources, gathering and maintaining the data needed, and completing and The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative USDA's TARGET Center at 202-720-2600 (voice and TDD).	d reviewing the collection of information.	hility notifical beliefs, and marital or familial status.			

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call 1-800-245-6340 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer,